

WE DISPENSE IT

BEER
CATALOGUE **2025/26**

BEVCO



CONDIZIONI GENERALI DI VENDITA E GARANZIA

Per consultare le condizioni generali di vendita e garanzia si rinvia all'informativa contenuta nell'apposita sezione del sito web:
www.bevco.eu

Per maggior informazioni potete contattarci a: **info@bevco.it**

TERMS AND CONDITIONS

For the general conditions of sale and warranty, please refer to the informatios in the section of the website: www.bevco.eu
For further informations you can contact us at: info@bevco.it

L'AZIENDA THE COMPANY

BEVCO nasce nel 2010 dall'unione di due storiche realtà produttrici di sistemi per il beverage: BREWSERVICE, nota per i suoi strumenti di spillatura della birra, e Nuti, player storico nel mercato di macchine per l'erogazione di soft drink. Nel 2017 Bevco incorpora CEM Industries, realtà industriale con un'esperienza trentennale focalizzata principalmente su macchine per l'erogazione di acqua fredda e gasata. Nel 2018 viene costituita Bevco Balcani, nuova unità produttiva con l'obiettivo di garantire una maggiore e più puntuale presenza sui mercati dell'Europa orientale.

BEVCO was founded in 2010 from the union of two historic manufacturers of beverage systems: Brewservice, known for its beer tapping tools, and Nuti, a historic player in the soft drink dispensing machine market. In 2017 Bevco incorporated CEM Industries, an industrial company with thirty years of experience mainly focused on machines for dispensing cold and sparkling water. In 2018 Bevco Balcani was established, a new production unit with the aim of ensuring a greater and more punctual presence on the Eastern European markets.



DESIGNED
TO FLOW

È l'intreccio della nostra storia che ci ha reso quelli che siamo: una realtà che detiene il know-how e l'expertise delle aziende che hanno fatto la storia del dispensing italiano e che si propone al mercato mondiale con un'offerta unica per profondità, completezza e qualità.

It is the intertwining of our history that has made us who we are: a reality that holds the know-how and expertise of the companies that have made the history of Italian dispensing and that offers itself to the world market with a unique offer for depth, completeness and quality.

UN'ECCELLENTE EXPERIENCE AN EXCELLENT DRINKING EXPERIENCE

Pensiamo che il tempo che tutti noi trascorriamo in bar, ristoranti, pizzerie, birrerie, wine bar e hotel costituisca un momento importante della nostra vita, istanti piacevoli ai quali deve corrispondere una consumer experience adeguata e gratificante.

We think that the time we all spend in bars, restaurants, pizzerias, breweries, wine bars and hotels constitutes an important moment in our life, pleasant moments which must be matched by an adequate and gratifying consumer experience.

Noi di Bevco siamo totalmente focalizzati sulla fornitura di strumenti per la spillatura e l'erogazione di bevande agli operatori dell'Ho.Re.Ca. e del Vending di tutto il mondo. La nostra missione è rendere il loro lavoro più semplice, piacevole, redditizio e soddisfacente. Vogliamo aiutarli ad esaltare la loro professionalità, con soluzioni sempre più avanzate ed ecosostenibili per garantire ai loro clienti un'eccellente drinking experience con il minore impatto possibile sull'ambiente.

We at Bevco are totally focused on providing tools for tapping and dispensing drinks to Ho.Re.Ca. and vending operators around the world. Our mission is to make their job easier, more profitable, more enjoyable and more satisfying. We want to help them enhance their professionalism, with increasingly advanced and eco-sustainable solutions to guarantee their customers an excellent drinking experience with the least possible impact on the environment.



MISSIONE
MISSION

OVERVIEW OVERVIEW

FOCUS ON DISPENSING FOCUS ON DISPENSING

Il nostro Dipartimento Ricerca e Sviluppo è composto da ingegneri e tecnici specializzati con pluriennale esperienza nel settore, per sviluppare soluzioni innovative, legate all'utilizzo di nuovi materiali e nuove tecnologie, anche in base a richieste specifiche e personalizzate. Il nostro Dipartimento Marketing è costantemente impegnato nella ricerca di soluzioni estetiche innovative per soddisfare le richieste del mercato e anticipare nuove soluzioni.

Our Research and Development Department is made up of engineers and specialized technicians with many years of experience in the sector, to develop innovative solutions, related to the use of new materials and new technologies, also based on specific and customized requests. Our Marketing Department is constantly engaged in the search for innovative aesthetic solutions to meet market demands and anticipate new solutions.

SEDI E RETE DISTRIBUTIVA

Abbiamo due stabilimenti e un magazzino logistico in Italia e uno stabilimento in Romania.

La nostra rete distributiva si estende nei principali Paesi del mondo e si compone di importatori, distributori e centri assistenza tecnica in grado di garantire anche un servizio post vendita. Negli anni, abbiamo instaurato importanti partnership con alcune delle aziende leader mondiali nella produzione e distribuzione di birra e bevande..

PLANTS AND DISTRIBUTION NETWORK

We have two factories and a logistics warehouse in Italy and a factory in Romania. Our distribution network extends to the main countries of the world and is made up of importers, distributors and technical assistance centers that can also guarantee an after-sales service. Over the years, we have established important partnerships with some of the world's leading companies in the production and distribution of beer and beverages.

LE NOSTRE SEDI OUR SITES





SOSTENIBILITÀ SUSTAINABILITY

CAMBIARE IL MONDO, GOCCIA DOPO GOCCIA CHANGING THE WORLD, DROP BY DROP

Abbiamo una missione: garantire una drinking experience a ridotto impatto ambientale. Siamo già in grado di produrre strumenti per l'erogazione di bevande gassate che limitano fortemente le emissioni di CO₂, ma la nostra ricerca non si ferma qui. Attraverso il nuovo sistema di isolamento termico della vasca riciclabile al 100%, ISOTECH PLUS, in combinazione con i nuovi componenti ad alta efficienza, abbiamo creato una linea di refrigeratori che garantiscono una resa superiore del 30% rispetto ai sistemi tradizionali, contribuendo così ad abbassare anche i consumi energetici dei locali.

We have a mission: to guarantee a drinking experience with a reduced environmental impact. We are already able to produce tools for the dispensing of carbonated drinks that strongly limit CO₂ emissions, but our research does not stop there.

Through the new thermal insulation system of the 100% recyclable tank, ISOTECH PLUS, in combination with the new high efficiency components, we have created a line of chillers that guarantee a 30% higher yield compared to traditional systems, thus helping to lower also the energy consumption of the premises.

PARTE DI UNA REALTA' PIÙ GRANDE PART OF A BIGGER WHOLE

BEVCO fa parte dello stesso Gruppo di Waterline Srl e AMG-Plastik Srl.


Trent'anni di acquisizioni, fusioni e start-up hanno plasmato un Gruppo composto da tre aziende principali collegate da una competenza condivisa e da una comune visione del futuro, con un Dipartimento di R&S trasversale che consente di sviluppare sinergicamente l'attitudine all'innovazione di tutte le aziende del Gruppo.

La visione è quella di una Supply Chain verticale stabile basata sulla costruzione al 100% di componenti per la produzione di articoli legati al mondo dell'acqua e delle bevande.

BEVCO is part of the same Group as Waterline Srl and AMG-Plastik Srl.

Thirty years of acquisitions, mergers and start-ups have shaped a Group composed of three main companies linked by a shared expertise and a common vision of the future, with a transversal R&D Department that allows to synergistically develop the aptitude for innovation of all the companies of the Group.

The vision is that of a stable vertical Supply Chain based on the 100% construction of components for the production of items related to the world of water and beverages.



BIRRA BEER



COLONNE PREMIX
PREMIX TOWERS20

	VIA/LINES				GLICOLE GLYCOLE	
	1	2	3	MULTIVIA		
01 AGGRESSIVE	◆					21
02 FENICE	◆					22
03 SGANG LUMINOSA	◆					23
04 SETA	◆					24
04 SETA LUMINOSA	◆					25
05 QUADRA	◆					26
06 TEXAS	◆					27
07 BABY VIPER	◆					28
08 BABY PRINCESS	◆					29
09 MINI TWICE	◆					30
10 TWICE	◆					31
11 ZEN	◆					32
12 RAMSES	◆					33
13 NELSON	◆					34
14 WINDSOR	◆					35
15 SAX	◆					36
16 ZEN WOOD NEW	◆					37
17 ALLEGRA		◆				39
18 GRIFONE		◆				40
19 SKY			◆			43
20 VIPER			◆			44
21 PRINCESS			◆			46
22 PRINCESS LUMINOSA			◆			47
23 EVOLUTION			◆			48
24 FLAME			◆			49
25 NEW ECO				◆		51
26 NEW ECO LUMINOSA				◆		52
27 BRIDGE				◆		53
28 BRAMANTE				◆		54
29 PERUGINO				◆		55
30 PIGALLE				◆		56
31 PIGALLE LUMINOSA				◆		57
32 TIMONE				◆		58
33 OAKLIN NEW				◆		59
34 AXIS NEW				◆		60
35 KAIA NEW				◆		61
36 NEXA NEW				◆		62
37 EVOLUTION ICE					◆	65
38 PRINCESS ICE					◆	66
39 SETA ICE					◆	67
40 VIPER ICE					◆	68
41 FIESTA M					◆	69

REFRIGERATORI SOTTOBANCO
UNDER COUNTER COOLERS70

01 FOX 20	71
02 IGLOO 28	72
03 SMART 36 LT RIBASSATO	73
04 SMART 36 VERTICALE	74
05 JET 55	75
06 BETA 60	76
07 MIGNOLO 60	77
08 TROPICAL 60	78
09 MAGO 90	79
10 TROPICAL 90	80
11 BIG 120	81
12 MONSTER 165	82
13 REVERSIBILE 36	83
14 REVERSIBILE 60	84
15 REVERSIBILE 90	85
16 REVERSIBILE 120	86

REFRIGERATORI MOBILI
MOBILE COUNTER COOLERS88


01 PARTY 60 E 90	89
02 UNITA' BANCO	90
03 BANCO CICO	91
04 MOBILE BASE	92
05 ELEGANCE LEGNO	93

REFRIGERATORI SOPRABANCO
OVER COUNTER COOLERS96

01 NEPTUN BIRRA	97
02 DRY EASY	98
03 ARTIC MINI	99

IMPIANTI GLICOLE BIRRA
GLYCOLE COOLERS102

01 AGGRESSIVE



Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri.
Medaglione luminoso monofacciale LED integrato.
Versione condensata su richiesta.
Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.).
Lente 3D/placca termoformata esclusa.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
LED illumination included.
Available as condensate.
Different colours and customization (also for handle) on request (min. order quantity 50 pcs.).
3D Lens/Lens with flat thermoformed plate excluded.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
AGG1W 588	Vitreus	✓	1	5/8"	8	

1 VIE
1 LINES


COLONNE
PREMIX

PREMIX
TOWERS



LED
ILLUMINATION

02 FENICE




Specifiche e Opzioni

Tubo e ricircolo in plastica inclusi.
Possibilità di personalizzazione logo.
Disponibile in diversi colori su richiesta.
Lente e trasformatore inclusi.

Specs and Options

Plastic tube and recirculation included.
Available also with branded logo.
Colored versions available upon request.
Lens and transformer included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
12304	Alluminio nero Black alluminium	✓	1	5/8"	8	



Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri.
Medaglione luminoso monofacciale LED integrato.
Versione condensata su richiesta.
Colori e personalizzazioni (anche per pomello) disponibili su richiesta (lotto minimo 50 pz.).
Lente 3D/placca termoformata esclusa.

Specs and Options


Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
LED illumination included.
Available as condensate. Different colours and customization (also for handle) on request (min. order quantity 50 pcs.).
3D Lens/Lens with flat thermoformed plate excluded.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SGNICE 588	Vitreus	✓	1	5/8"	8	

03 SGANG LUMINOSA



04 SETA



Medaglioni/Badge Holders:
MDCR5880
MDCR5890
MDACR5890


Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
ST1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	



Medaglioni/Badge Holders:
MELU82ST
(Lente 3D e placche termoformate escluse/
3D lens and lens with flat thermoformed plate
excluded)

Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR588LM	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	


Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.



04 SETA LUMINOSA

05 QUADRA



Accessori/Accessories:
011030 (Tappo cromato
Chromed cap)

Specifiche e Opzioni


Illuminazione a LED. Ricircolo in plastica incluso.
Tubi prodotti in plastica e tubi prodotti in acciaio
inox in differenti diametri su richiesta.

Specs and Options

LED illumination. Plastic recirculation included.
Product lines in plastic or stainless steel in different
diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
QDR1IN588P	Acciaio inox lucido Polished stainless steel	✓	1	5/8"	8	

06 TEXAS



Medaglioni/Badge Holders:
MECR80D
MECR90D



Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox
in differenti diametri su richiesta.
Illuminazione LED su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel
recirculation on demand. Product lines in plastic or
stainless steel in different diameters on demand.
LED illumination available upon request.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
MTX1INST128 (S)	Acciaio inox satinato Satin-finished stainless steel		1	1/2"	8	
MTX1INST588 (S)	Acciaio inox satinato Satin-finished stainless steel		1	5/8"	8	
TX1INST128 (M)	Acciaio inox satinato Satin-finished stainless steel		1	1/2"	8	
TX1INST588 (M)	Acciaio inox satinato Satin-finished stainless steel		1	5/8"	8	
MXTX1INST128 (Max)	Acciaio inox satinato Satin-finished stainless steel		1	1/2"	8	
MXTX1INST588 (Max)	Acciaio inox satinato Satin-finished stainless steel		1	5/8"	8	

08 BABY PRINCESS




Specs and Options

Plastic tubes and recirculation included.



Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi.



Specs and Options

Plastic tubes included.
No recirculation.
Branded logo upon request.


Specifiche e Opzioni

Tubi alimentazione in plastica inclusi.
No ricircolo.
Possibilità di personalizzazione logo.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
9067	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
11433	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	


09 MINI TWICE



Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
TW1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
TW1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
TW1OT128	Ottone Dorato Gold plated brass		1	1/2"	8	
TW1OT588	Ottone Dorato Gold plated brass		1	5/8"	8	

11 ZEN



Medaglioni/Badge holders:
MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890


Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ZN1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
ZN1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
ZN1ST 128	Ottone Dorato Gold plated brass		1	1/2"	8	
ZN1ST 588	Ottone Dorato Gold plated brass		1	5/8"	8	



Medaglioni e morsetti/Badge holders and clamps:
MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890
MDADR5890
MRSTCR
MRSTD

Specifiche e Opzioni

Tubo ricircolo non incluso.
Tubi prodotto in plastica e tubi prodotto acciaio inox in differenti diametri su richiesta.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
RM1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
RM1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
RM1OT128	Ottone Dorato Gold plated brass		1	1/2"	8	
RM1OT588	Ottone Dorato Gold plated brass		1	5/8"	8	


Specs and Options

Recirculation pipe not included.
Product lines in plastic or stainless steel in different diameters on demand.



12 RAMSES

13 NELSON



Trasformatori/Transformers:
010163 (15W)
010164 (30W)

Specifiche e Opzioni


Illuminazione a led. Tubo ricircolo non incluso.
Tubi prodotto in acciaio inox in differenti diametri su richiesta.

Specs and Options

Led illumination. Recirculation tube not included.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NL10TG12L8	Ottone Dorato Gold plated brass	✓	1	1/2"	8	

14 WINSOR



Specifiche e Opzioni

Raccogli gocce in plastica incluso e pomello in
ceramica nero. Fissaggio a morsetto.
Manopola in differenti colori su richiesta.

Specs and Options

Plastic drip tray and black porcelain handle
included. Clamp on.
Handle in different colours upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Ricircolo Recirculation	Prezzi Prices
010662	Ottone Dorato Gold plated brass		1			
010662W	Ottone Dorato Gold plated brass		1		✓	
0106621	Ottone Cromato Chrome plated brass		1			
0106621W	Ottone Cromato Chrome plated brass		1		✓	

15 SAX




Specifiche e Opzioni

Tubo e ricircolo in plastica inclusi.
Rubinetto dorato incluso.

Specs and Options

Plastic tube and recirculation included.
Golden tap included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
3959	Ottone Dorato Gold plated brass		1	5/8"	9,5	



Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 3/8".
Tubi prodotto in plastica.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SWD11N588L	Acciaio rivestito legno Steel wood covered	✓	1	5/8"	✓	
SWD11N588	Acciaio rivestito legno Steel wood covered		1	5/8"	✓	

16 SOLO WOOD



NEW

Specs and Options


Plastic recirculation included external diameter 3/8".
Product lines in plastic.

17 ALLEGRA



Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation upon request. Product line in plastic, stainless steel in various diameters upon request. Condensation, colours and customization (also for handle) available upon request (min. order quantity 50 pcs.) **Allegra illuminated: LED illuminated badge included** (3D Lens/Lens with flat thermoformed plate excluded).



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, su richiesta tubi prodotti in acciaio inox in differenti diametri. Versione condensata, colori e personalizzazioni (anche per pomello) su richiesta (lotto minimo 50 pz.) **Allegra luminosa: medaglione luminoso monofacciale LED integrato** (Lente 3D/placca termoformata esclusa).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ALL1VTM588	Vitreous	✓	1	5/8"	8	
ALL1VT588	Vitreous		1	5/8"	8	
ALL2VT588	Vitreous		2	5/8"	8	



2 VIE
2 LINES


COLONNE
PREMIX

PREMIX
TOWERS



LED
ILLUMINATION

18 GRIFONE



Specifiche e Opzioni

Tubi e ricircoli in plastica inclusi.
Possibilità di personalizzazione logo e illuminazione a LED.
Disponibile versione dorata e nera su richiesta.

Specs and Options

Plastic tubes and recirculation included.
Branded and LED illuminated logo upon request.
Golden and black version available upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
12868	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	
12868DR	Ottone Cromato Lucido Polished chrome plated brass	✓	2	5/8"	8	

19 SKY




3 VIE
3 LINES

COLONNE
PREMIX

PREMIX
TOWERS



LED
ILLUMINATION



Medaglioni/Badge Holders:
MCCR180 - MCCR190

Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica e tubi prodotto in acciaio
inox in differenti diametri su richiesta.
Illuminazione LED su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different
diameters on demand.
LED lighting on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
SKY3128	Acciaio inox satinato Satin-finished stainless steel		3	1/2"	8	
SKY3588	Acciaio inox satinato Satin-finished stainless steel		3	5/8"	8	

20 VIPER



Specifiche e Opzioni


Tubi e ricircoli in plastica inclusi.
Possibilità di personalizzazione logo.

Specs and Options

Plastic tubes and recirculation included.
Branded logo upon request.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim ø (mm) Prod. line ø (mm)	Prezzi Prices
8622	Ottone Cromato Chrome plated brass		1	5/8"	8	
8629*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	
8616	Ottone Cromato Chrome plated brass		2	5/8"	8	
10487	Ottone Dorato Gold plated brass	✓	2	5/8"	8	
8618	Ottone Cromato Chrome plated brass		3	5/8"	8	
10488	Ottone Cromato Chrome plated brass	✓	3	5/8"	8	

*Con cladding luminoso/With luminous cladding.





Medaglioni/Badge holders:
MDCR5880
MDCR5890
MDG5880
MDG5890
MDACR5890




Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti
diametri su richiesta.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tube alim ø (mm) Prod. line ø (mm)	Prezzi Prices
PRS1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
PRS1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
PRS2CR128	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
PRS2CR588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
PRS3CR128	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
PRS3CR588	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	
PRS1G128	Ottone Dorato Gold plated brass		1	1/2"	8	
PRS1G588	Ottone Dorato Gold plated brass		1	5/8"	8	
PRS2G128	Ottone Dorato Gold plated brass		2	1/2"	8	
PRS2G588	Ottone Dorato Gold plated brass		2	5/8"	8	
PRS3G128	Ottone Dorato Gold plated brass		3	1/2"	8	
PRS3G588	Ottone Dorato Gold plated brass		3	5/8"	8	



Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso bifacciale LED Integrato
Lente 3D/Placche termoformate escluse.


Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Integrated LED double-sided illuminated badges (3D lenses / Thermoformed plates not included).



22 PRINCESS LUMINOSA

23 EVOLUTION



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	65	65	106
L1	88	88	106
LL	83	93	137
LL1	83	83	87
LLIN	68	69	75
H	372	372	393

Tappo cromo/Chrome cap: 010089

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. **Medaglione luminoso LED opzionale.** Finitura ottone dorato lucido su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. **LED illumination optional.** Polished gold plated brass finish on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
EV1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1/2"	8	
EV1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	
EV2CR128	Ottone Cromato Lucido Polished chrome plated brass		2	1/2"	8	
EV2CR588	Ottone Cromato Lucido Polished chrome plated brass		2	5/8"	8	
EV3CR128	Ottone Cromato Lucido Polished chrome plated brass		3	1/2"	8	
EV3CR588	Ottone Cromato Lucido Polished chrome plated brass		3	5/8"	8	

24 FLAME



	1 Via 1 Line	2 Vie 2 Lines	3 Vie 3 Lines
L	65	65	106
L1	88	88	106
LL	83	93	137
LL1	83	83	87
LLIN	68	69	75
H	372	372	393

Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Badge luminoso LED integrato. Finitura ottone dorato lucido su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. Polished gold plated brass finish on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
FLM1CR128	Ottone Cromato Lucido Polished chrome plated brass	✓	1	1/2"	8	
FLM1CR588	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5/8"	8	
FLM2CR128	Ottone Cromato Lucido Polished chrome plated brass	✓	2	1/2"	8	
FLM2CR588	Ottone Cromato Lucido Polished chrome plated brass	✓	2	5/8"	8	
FLM3CR128	Ottone Cromato Lucido Polished chrome plated brass	✓	3	1/2"	8	
FLM3CR588	Ottone Cromato Lucido Polished chrome plated brass	✓	3	5/8"	8	

25 NEW ECO



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	375	375	470	565
H	509	509	509	509
IN	127,5	95	95	95

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o in acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglioni inclusi.

Specs and Options


Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. Medallions included.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NECO3IN128M	Acciaio Inox Lucido Polished stainless steel		3	1/2"	8	
NECO3IN588M	Acciaio Inox Lucido Polished stainless steel		3	5/8"	8	
NECO4IN128M	Acciaio Inox Lucido Polished stainless steel		4	1/2"	8	
NECO4IN588M	Acciaio Inox Lucido Polished stainless steel		4	5/8"	8	
NECO5IN128M	Acciaio Inox Lucido Polished stainless steel		5	1/2"	8	
NECO5IN588M	Acciaio Inox Lucido Polished stainless steel		5	5/8"	8	
NECO6IN128M	Acciaio Inox Lucido Polished stainless steel		6	1/2"	8	
NECO6IN588M	Acciaio Inox Lucido Polished stainless steel		6	5/8"	8	

MULTIVIA
MULTILINES
COLONNE
PREMIX
PREMIX
TOWERS



26 NEW ECO LUMINOSA



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	375	375	470	565
H	509	509	509	509
IN	127,5	95	95	95

Specifiche e Opzioni


Ricircolo in plastica incluso.
A richiesta ricircolo in rame o in acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglioni luminosi bifacciali LED integrati (Lenti 3D/Placche termoformate escluse).

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
Integrated LED double-sided illuminated badges (3D lenses/Thermoformed plates not included).

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NECO3IN128L	Acciaio Inox Lucido Polished stainless steel	✓	3	1/2"	8	
NECO3IN588L	Acciaio Inox Lucido Polished stainless steel	✓	3	5/8"	8	
NECO4IN128L	Acciaio Inox Lucido Polished stainless steel	✓	4	1/2"	8	
NECO4IN588L	Acciaio Inox Lucido Polished stainless steel	✓	4	5/8"	8	
NECO5IN128L	Acciaio Inox Lucido Polished stainless steel	✓	5	1/2"	8	
NECO5IN588L	Acciaio Inox Lucido Polished stainless steel	✓	5	5/8"	8	
NECO6IN128L	Acciaio Inox Lucido Polished stainless steel	✓	6	1/2"	8	
NECO6IN588L	Acciaio Inox Lucido Polished stainless steel	✓	6	5/8"	8	

27 BRIDGE



Medaglioni/Badge Holders:
MCCR180G
MCCR190G
MCG180G
MCG190G

	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
IN	100	90	72
L	400	450	450
L2	400	450	450
L3	700	750	750

Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotti in plastica e tubi prodotti in acciaio inox
In differenti diametri su richiesta.

Medaglioni luminosi LED opzionali.

Specs and Options

Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.

LED illumination optional.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
BD4CR128	Ottone Cromo Lucido Polished chrome plated brass		4	1/2"	8	
BD4CR588	Ottone Cromo Lucido Polished chrome plated brass		4	5/8"	8	
BD5CR128	Ottone Cromo Lucido Polished chrome plated brass		5	1/2"	8	
BD5CR588	Ottone Cromo Lucido Polished chrome plated brass		5	5/8"	8	
BD6CR128	Ottone Cromo Lucido Polished chrome plated brass		6	1/2"	8	
BD6CR588	Ottone Cromo Lucido Polished chrome plated brass		6	5/8"	8	
BD4ST128	Ottone Cromo Satinato Satin-finished chrome plated brass		4	1/2"	8	
BD4ST588	Ottone Cromo Satinato Satin-finished chrome plated brass		4	5/8"	8	
BD5ST128	Ottone Cromo Satinato Satin-finished chrome plated brass		5	1/2"	8	
BD5ST588	Ottone Cromo Satinato Satin-finished chrome plated brass		5	5/8"	8	
BD6ST128	Ottone Cromo Satinato Satin-finished chrome plated brass		6	1/2"	8	
BD6ST588	Ottone Cromo Satinato Satin-finished chrome plated brass		6	5/8"	8	

28 BRAMANTE



	4 Vie 4 Lines	5 Vie 5 Lines	6 Vie 6 Lines
L	378	968	978
L1	608	718	828

Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D



Specifiche e Opzioni



Disponibile piede a destra o piede a sinistra.
Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale.
Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options

Available with right or left leg, to be specified at the moment of order. Plastic recirculation included.
Copper or stainless steel recirculation on demand.
Product lines in plastic or stainless steel in different diameters on demand.
LED illumination upon request.
Polished stainless steel and old copper stainless steel finishes on request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
BRM4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
BRM4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
BRM5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
BRM5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
BRM6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
BRM6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
BRM4RA128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	1/2"	8	
BRM4RA588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	5/8"	8	
BRM5RA128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	1/2"	8	
BRM5RA588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	5/8"	8	
BRM6RA128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	1/2"	8	
BRM6RA588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	5/8"	8	

29 PERUGINO



Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. **Medaglione luminoso LED opzionale.** Finiture in acciaio inox lucido e in acciaio inox ramato antico su richiesta.

Specs and Options


Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. **Optional LED illumination.** Polished stainless steel and old copper stainless steel finishes upon request.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PER4128	Acciaio Inox Satinato Satin-finished stainless steel		4	1/2"	8	
PER4588	Acciaio Inox Satinato Satin-finished stainless steel		4	5/8"	8	
PER5128	Acciaio Inox Satinato Satin-finished stainless steel		5	1/2"	8	
PER5588	Acciaio Inox Satinato Satin-finished stainless steel		5	5/8"	8	
PER6128	Acciaio Inox Satinato Satin-finished stainless steel		6	1/2"	8	
PER6588	Acciaio Inox Satinato Satin-finished stainless steel		6	5/8"	8	
PER4RA128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	1/2"	8	
PER4RA588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		4	5/8"	8	
PER5RA128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	1/2"	8	
PER5RA588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		5	5/8"	8	
PER6RA128	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	1/2"	8	
PER6RA588	Acciaio Inox Ramato Satinato Satin copper plated stainless steel		6	5/8"	8	

30 PIGALLE



	3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines
L	445	600	680
IN	165	100	102.5
IN1	-	135	90



Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D


Specifiche e Opzioni

Ricircolo in plastica incluso.
A richiesta ricircolo in rame o acciaio inox.
Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand.

Codice Code	Materiale Material	Luminosa Illuminated	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. Ø (mm) Prod. line Ø (mm)	Prezzi Prices
PG1CR128	Ottone Cromato Lucido Polished chrome plated brass		1	1	1/2"	8	
PG1CR588	Ottone Cromato Lucido Polished chrome plated brass		1	1	5/8"	8	
PG3CR128	Ottone Cromato Lucido Polished chrome plated brass		1	3	1/2"	8	
PG3CR588	Ottone Cromato Lucido Polished chrome plated brass		1	3	5/8"	8	
PG5CR128	Ottone Cromato Lucido Polished chrome plated brass		1	5	1/2"	8	
PG5CR588	Ottone Cromato Lucido Polished chrome plated brass		1	5	5/8"	8	
PG7CR128	Ottone Cromato Lucido Polished chrome plated brass		2	7	1/2"	8	
PG7CR588	Ottone Cromato Lucido Polished chrome plated brass		2	7	5/8"	8	
PG1OT128	Ottone Dorato Gold plated brass		1	1	1/2"	8	
PG1OT588	Ottone Dorato Gold plated brass		1	1	5/8"	8	
PG3OT128	Ottone Dorato Gold plated brass		1	3	1/2"	8	
PG3OT588	Ottone Dorato Gold plated brass		1	3	5/8"	8	
PG5OT128	Ottone Dorato Gold plated brass		1	5	1/2"	8	
PG5OT588	Ottone Dorato Gold plated brass		1	5	5/8"	8	
PG7OT128	Ottone Dorato Gold plated brass		2	7	1/2"	8	
PG7OT588	Ottone Dorato Gold plated brass		2	7	5/8"	8	



Medaglioni/Badge Holders:
MECR80D
MECR90D
MEG80D
MEG90D

Specifiche e Opzioni

Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta. Medaglioni luminosi bifacciali LED integrati (Lenti 3D/ Placche termoformate escluse).

Codice Code	Materiale Material	Luminosa Illuminated	N° Piedi N° Piedi	N° vie N° lines	Filetto Thread size	Tubo alim. Ø (mm) Prod. line Ø (mm)	Prezzi Prices
PG1CR128L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	1	1/2"	8	
PG1CR588L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	1	5/8"	8	
PG3CR128L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	3	1/2"	8	
PG3CR588L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	3	5/8"	8	
PG5CR128L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5	1/2"	8	
PG5CR588L	Ottone Cromato Lucido Polished chrome plated brass	✓	1	5	5/8"	8	
PG7CR128L	Ottone Cromato Lucido Polished chrome plated brass	✓	2	7	1/2"	8	
PG7CR588L	Ottone Cromato Lucido Polished chrome plated brass	✓	2	7	5/8"	8	
PG1OT128L	Ottone Dorato Gold plated brass	✓	1	1	1/2"	8	
PG1OT588L	Ottone Dorato Gold plated brass	✓	1	1	5/8"	8	
PG3OT128L	Ottone Dorato Gold plated brass	✓	1	3	1/2"	8	
PG3OT588L	Ottone Dorato Gold plated brass	✓	1	3	5/8"	8	
PG5OT128L	Ottone Dorato Gold plated brass	✓	1	5	1/2"	8	
PG5OT588L	Ottone Dorato Gold plated brass	✓	1	5	5/8"	8	
PG7OT128L	Ottone Dorato Gold plated brass	✓	2	7	1/2"	8	
PG7OT588L	Ottone Dorato Gold plated brass	✓	2	7	5/8"	8	




	3 Vie 3 Lines	5 Vie 5 Lines	7 Vie 7 Lines
L	445	600	680
IN	165	100	102.5
IN1	-	135	90

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation on demand. Product lines in plastic or stainless steel in different diameters on demand. LED illumination included. (3D Lens/Lens with flat thermoformed plate on demand).

31 PIGALLE LUMINOSA

32 TIMONE



Specifiche e Opzioni


Ricircolo in plastica incluso. A richiesta ricircolo in rame o acciaio inox. Tubi prodotti in plastica e tubi prodotti in acciaio inox in differenti diametri su richiesta. Medaglioni in ottone cromato diametro 80 mm inclusi. **Medaglioni luminosi LED optional.**

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
CTBS128	Acciaio Inox Lucido e Satinato/Alluminio Polished and Satin-finished stainless steel/Aluminium		5	1/2"	8	
CTBS588	Acciaio Inox Lucido e Satinato/Alluminio Polished and Satin-finished stainless steel/Aluminium		5	5/8"	8	

Specs and Options

Plastic recirculation included. Copper or stainless steel recirculation available upon request. Product lines in plastic or stainless steel in different diameters on demand. 80 mm Chrome badge holders included. **LED illumination optional.**

33 OAKLIN



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines
L	401	501	501

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 3/8". Tubi prodotto in plastica.


Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
OAK3IN588L	Legno di quercia chiaro illuminato Light oak illuminated	✓	3	5/8"	✓	
OAK3IN588	Legno di quercia chiaro Light oak		3	5/8"	✓	
OAK4IN588L	Legno di quercia chiaro illuminato Light oak illuminated	✓	4	5/8"	✓	
OAK4IN588	Legno di quercia chiaro Light oak		4	5/8"	✓	
OAK5IN588L	Legno di quercia chiaro illuminato Light oak illuminated	✓	5	5/8"	✓	
OAKIN588	Legno di quercia chiaro Light oak		5	5/8"	✓	

Specs and Options

Plastic recirculation included external diameter 3/8". Product lines in plastic.

NEW

34 AXIS



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines
L	455	595	640

NEW

Specifiche e Opzioni


Ricircolo in plastica incluso diametro esterno 3/8".
Tubi prodotto in plastica.

Specs and Options

Plastic recirculation included external diameter 3/8".
Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
AX3IN588L	Acciaio Inox Spazzolato Brushed stainless steel	✓	3	5/8"	✓	
AX3IN588	Acciaio Inox Spazzolato Brushed stainless steel		3	5/8"	✓	
AX4IN588L	Acciaio Inox Spazzolato Brushed stainless steel	✓	4	5/8"	✓	
AX4IN588	Acciaio Inox Spazzolato Brushed stainless steel		4	5/8"	✓	
AX5IN588L	Acciaio Inox Spazzolato Brushed stainless steel	✓	5	5/8"	✓	
AX5IN588	Acciaio Inox Spazzolato Brushed stainless steel		5	5/8"	✓	

35 KAIA



	3 Vie 3 Lines	4 Vie 4 Lines	5 Vie 5 Lines
L	390	602	602

NEW

Specifiche e Opzioni

Ricircolo in plastica incluso diametro esterno 3/8".
Tubi prodotto in plastica.


Specs and Options

Plastic recirculation included external diameter 3/8".
Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
KAI3NE588L	Acciaio Verniciato nero antracite Black anthracite steel painted	✓	3	5/8"	✓	
KAI3NE588	Acciaio Verniciato nero antracite Black anthracite steel painted		3	5/8"	✓	
KAI4NE588L	Acciaio Verniciato nero antracite Black anthracite steel painted	✓	4	5/8"	✓	
KAI4NE588	Acciaio Verniciato nero antracite Black anthracite steel painted		4	5/8"	✓	
KAI5NE588L	Acciaio Verniciato nero antracite Black anthracite steel painted	✓	5	5/8"	✓	
KAI5NE588	Acciaio Verniciato nero antracite Black anthracite steel painted		5	5/8"	✓	

36 NEXA

NEW



	3 Vie 3 Lines	5 Vie 5 Lines
L	394	574

Specifiche e Opzioni


Ricircolo in plastica incluso diametro esterno 3/8".
Tubi prodotto in plastica.

Specs and Options

Plastic recirculation included external diameter 3/8".
Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
NEX3IN588L	Acciaio Inox Lucidato Polished stainless steel	✓	3	5/8"	✓	
NEX5IN588L	Acciaio Inox Lucidato Polished stainless steel	✓	5	5/8"	✓	

37 EVOLUTION ICE



Medaglioni/Badge Holders:
MEVCR180
MEVCR190

Specifiche e Opzioni

Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale.

Specs and Options


Product lines in plastic or stainless steel in different diameters on demand.
LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
EV1CR588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	



LED ILLUMINATION

38 PRINCESS ICE



Medaglioni/Badge Holders:
MDCR5880
MDCR5890
MDACR5890


Specifiche e Opzioni

Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED optional.

Specs and Options

Product lines in plastic or stainless steel in different diameters on demand.
LED illumination optional.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
PRS1CR588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	



Medaglioni/Badge Holders:
MCCR180
MCCR190

Specifiche e Opzioni

Tubi prodotto in plastica, acciaio inox in differenti diametri su richiesta.
Medaglione luminoso LED opzionale.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
ST1CR588ICE	Ottone Cromato Lucido Polished chrome plated brass		1	5/8"	8	


Specs and Options

Product lines in plastic or stainless steel in different diameters on demand.
LED illumination optional.



39 SETA ICE

40 VIPER ICE



Specifiche e Opzioni

Tubi prodotto in plastica.

Specs and Options

Product lines in plastic.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
008625	Ottone Cromato Chrome plated brass		1	5/8"	8	
010396*	Ottone Cromato Chrome plated brass	✓	1	5/8"	8	

*Include medaglione luminoso, kit inondazione e alimentatore/Double-sided luminous medallion+flooding kit included+power adaptor included.

41 FIESTA M



Escluso erogatore girevole.
Turning dispenser excluded.

Specifiche e Opzioni


Dispenser da tavolo. Capacità: 2l.
Altezza: 74cm.

Codice Code	Materiale Material	Luminosa Illuminated	N° vie N° lines	Filetto Thread size	Tubo alim. ø (mm) Prod. line ø (mm)	Prezzi Prices
010436	Plastica Plastic		1			

Specs and Options

Table dispenser. Capacity: 2l.
Height: 74cm.





REFRIGERATORI SOTTOBANCO

UNDER COUNTER COOLERS



LED
ILLUMINATION

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 25 Kg
Dimensioni (LxAxP): 577x606x372 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12

Specs and Options

- Isotech
- Rotomoulded technology
- Condenser
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 25 Kg
Dimensions (LxHxW): 577x606x372 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
FX1420LP2TR2	Skin Plate	1/4 HP	23 l	12 kg	75 l/h			
FX1420LP2TR21V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	1	✓	
FX1420LP2TR22V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	2	✓	
FX1420LP2TR23V	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	3	✓	
FX1420LH2OJGR2*	Skin Plate	1/4 HP	23 l	12 kg	75 l/h		✓	

* Con condensatore ad acqua/ With water condenser

02 IGL00 28



*702mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 26 Kg
Dimensioni (LxAxP): 417x751x417 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12

Specs and Options


- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 26 Kg
Dimensions (LxHxW): 417x751x417 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
IGL2814P2TR2	Skin Plate	1/4 HP	24 l	12 kg	75 l/h			
IGL2814P2TR21V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	1	✓	
IGL2814P2TR22V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	2	✓	
IGL2814P2TR23V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	3	✓	
IGL2814P2TR24V	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	4	✓	

03 SMART 36 LT RIBASSATO



*540mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 31 Kg
Dimensioni (LxAxP): 462x662x636 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8

Specs and Options


- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging

Weight: 31 Kg
Dimensions (LxHxW): 462x662x636 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECOB1336LORP2	Skin Plate	1/3 HP	36 l	17 kg	106 l/h			
ECOB1336LORP21V	Skin Plate	1/3 HP	36 l	17 kg	106 l/h	1	✓	
ECOB1336LORP22V	Skin Plate	1/3 HP	36 l	17 kg	106 l/h	2	✓	
ECOB1336LORP23V	Skin Plate	1/3 HP	36 l	17 kg	106 l/h	3	✓	
ECOB1336LORP24V	Skin Plate	1/3 HP	36 l	17 kg	106 l/h	4	✓	
ECOB1336LORP25V	Skin Plate	1/3 HP	36 l	17 kg	106 l/h	5	✓	
ECOB1336LORP26V	Skin Plate	1/3 HP	36 l	17 kg	106 l/h	6	✓	

04 SMART 36 VERTICALE



*700 mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 31 Kg
Dimensioni (LxAxP): 452x452x706 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12


Specs and Options

- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 31 Kg
Dimensions (LxHxW): 452x452x706 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
ECO1336LP2TR2	Skin Plate	1/3 HP	32 l	17 kg	106 l/h			
ECO1336LP2TR21V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	1	✓	
ECO1336LP2TR22V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	2	✓	
ECO1336LP2TR23V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	3	✓	
ECO1336LP2TR24V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	4	✓	
ECO1336LP2TR25V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	5	✓	
ECO1336LP2TR26V	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	6	✓	

05 JET 55



Specifiche e Opzioni

- Con Gas Eco-Friendly R290

Su richiesta:
• Tensione a 115V per lotti minimi di 50 pz.
• Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 50 Kg
Dimensioni (LxAxP): 531x906x531 mm
Dimensioni pallet: 800x1100 mm
Quantità per pallet: 8

Specs and Options


- With Eco-Friendly R290 Gas

Available upon request:
• 115V voltage version for minimum lots of 50 pcs.
• With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 50 Kg
Dimensions (LxHxW): 531x906x531 mm
Size of pallet: 800x1100 mm
No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
13737	Skin Plate	1/2 HP	50 l	22 kg	92 l/h		✓	
13738	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	1	✓	
13739	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	2	✓	
13696	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	3	✓	
13740	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	4	✓	
13698	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	5	✓	
13818	Skin Plate	1/2 HP	50 l	22 kg	92 l/h	6	✓	

07 MIGNOLO 60



*617mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 662x666x462 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8

Specs and Options


- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 662x666x462 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MIG1260LP2TR2	Skin Plate	1/2 HP	54 l	25 kg	150 l/h			
MIG1260LP2TR21V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	1	✓	
MIG1260LP2TR22V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	2	✓	
MIG1260LP2TR23V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	3	✓	
MIG1260LP2TR24V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	4	✓	
MIG1260LP2TR25V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	5	✓	
MIG1260LP2TR26V	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	6	✓	
MIG1260LPH2OJGR2*	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	-	-	

*Versione condensata ad acqua/Water condenser version.

06 BETA 60



Specifiche e Opzioni

- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 462x666x662 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8


Specs and Options

- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.

Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 462x666x662 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
BT1260LPR2TR2	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h			
BT1260LPR2TR21V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	1	✓	
BT1260LPR2TR22V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	2	✓	
BT1260LPR2TR23V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	3	✓	
BT1260LPR2TR24V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	4	✓	
BT1260LPR2TR25V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	5	✓	
BT1260LPR2TR26V	Plastica Plastic	1/2 HP	42 l	22 kg	150 l/h	6	✓	

08 TROPICAL 60



*670mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 42 Kg
Dimensioni (LxAxP): 462x726x662 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 8

Specs and Options


- Isotech
- Rotomoulded technology
- Water condenser
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 42 Kg
Dimensions (LxHxW): 462x726x662 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 8

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MIG5860LPCU*	Skin Plate	5/8 HP	54 l	25 kg	162 l/h	6		

*Condensatore Cu-Al/Cu-Al condenser.

09 MAGO 90



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 567x681x772 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4

Specs and Options


- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 567x681x772 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG1290LP2TR2	Skin Plate	1/2 HP	78 l	36 kg	206 l/h			
MG1290LP2TR21V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	1	✓	
MG1290LP2TR22V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	2	✓	
MG1290LP2TR23V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	3	✓	
MG1290LP2TR24V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	4	✓	
MG1290LP2TR25V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	5	✓	
MG1290LP2TR26V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	6	✓	
MG1290LP2TR27V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	7	✓	
MG1290LP2TR28V	Skin Plate	1/2 HP	78 l	36 kg	206 l/h	8	✓	
MG1290LPH2OJGR2*	Skin Plate	1/2 HP	78 l	36 kg	206 l/h			

*Versione condensata ad acqua/Water condenser version.

10 TROPICAL 90



*625mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Condensatore ad acqua
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 45 Kg
Dimensioni (LxAxP): 567x681x772 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4

Specs and Options


- Isotech
- Rotomoulded technology
- Water condenser
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 45 Kg
Dimensions (LxHxW): 567x681x772 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MG3490LPR2T2*	Skin Plate	3/4 HP	78 l	36 kg	229 l/h	8		

*Condensatore Cu-Al/Cu-Al condenser.

11 BIG 120



*694mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Doppio termostato
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 53 Kg
Dimensioni (LxAxP): 587x726x902 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4


Specs and Options

- Isotech
- Rotomoulded technology
- Double thermostat
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 53 Kg
Dimensions (LxHxW): 587x726x902 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
BG34120LPR2	Skin Plate	3/4 HP	115 l	50 kg	284 l/h	10		

12 MONSTER 165



*752mm (altezza con pompa/height with pump)

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.



Imballo singolo
Peso: 60 Kg
Dimensioni (LxAxP): 562x726x992 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 1

Specs and Options

- Isotech
- Rotomoulded technology
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 60 Kg
Dimensions (LxHxW): 562x726x992 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
MN1651HPPDP	Skin Plate	1 HP	147 l	64 kg	392 l/h	10		



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 452x452x706 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1336LPA	Skin Plate	1/3 HP	32 l	17 kg	106 l/h			

13 REVERSIBILE 36




Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 452x452x706 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

14 REVERSIBILE 60



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 60 Kg
Dimensioni (LxAxP): 562x726x992 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 1


Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 60 Kg
Dimensions (LxHxW): 562x726x992 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 1

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1260LPA	Skin Plate	1/2 HP	54 l	25 kg	150 l/h	10		

15 REVERSIBILE 90



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo
Peso: 40 Kg
Dimensioni (LxAxP): 452x452x706 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 12


Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.

Single packaging
Weight: 40 Kg
Dimensions (LxHxW): 452x452x706 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 12

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV1290LPA	Skin Plate	1/2 HP	78 l	36 kg	206 l/h			

16 REVERSIBILE 120



Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Con Gas Eco-Friendly R290
- Tensione a 115V per lotti minimi di 50 pz.
- Con lamiera Inox per lotti minimi di 50 pz.

Imballo singolo

Peso: 60 Kg
Dimensioni (LxAxP): 562x726x992 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 1

Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- 115V voltage version for minimum lots of 50 pcs.
- With stainless steel external sheets for minimum lots of 50 pcs.


Single packaging

Weight: 60 Kg
Dimensions (LxHxW): 562x726x992 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 1



Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Pompa ricircolo Recirculation pump	Prezzi Prices
REV34120LPA	Skin Plate	3/4 HP	115 l	50 kg	280 l/h			

01 PARTY 60 E 90



REFRIGERATORI MOBILI

MOBILE COUNTER COOLERS



LED ILLUMINATION

Specifiche e Opzioni

- Carenatura in Skin Plate
- Con Gas Eco-Friendly R290

Kit per Party 60:

- KTPAR1260L1V-1 Via
- KTPAR1260L2V-2 Vie
- KTPAR1260L3V-3 Vie
- KTPAR1260L4V-4 Vie

Imballo singolo

Peso: 54 Kg
Dimensioni (LxAxP): 452x452x1061 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 2

Kit per Party 90:

- KTPAR3490L1V-1 Via
- KTPAR3490L2V-2 Vie
- KTPAR3490L3V-3 Vie
- KTPAR3490L4V-4 Vie

Imballo singolo

Peso: 61 Kg
Dimensioni (LxAxP): 562x562x1206 mm
Dimensioni pallet: 800x1200 mm
Quantità per pallet: 4
Kit raccordi, serpentine, colonna e riduttore non inclusi

Specs and Options

- Cases in Skin Plate
- With Eco-Friendly R290 Gas

Kit for Party 60:

- KTPAR1260L1V-1 Line
- KTPAR1260L2V-2 Lines
- KTPAR1260L3V-3 Lines
- KTPAR1260L4V-4 Lines

Single packaging

Weight: 54 Kg
Dimensions (LxHxW): 452x452x1061 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 2

Kit for Party 90:



- KTPAR3490L1V-1 Line
- KTPAR3490L2V-2 Lines
- KTPAR3490L3V-3 Lines
- KTPAR3490L4V-4 Lines

Single packaging

Weight: 61 Kg
Dimensions (LxHxW): 562x562x1206 mm
Size of pallet: 800x1200 mm
No. of units per pallet: 4
Fittings kit, coils, tower and CO2 regulator not included

Codice Code	Materiale Material	Descrizione Description	Prezzi Prices
V100MITAR2	Skin Plate	V100 1/2 HP 60LT MOBILE r290 ita db	
V200MITAR2	Skin Plate	V200 3/4 Hp MOBILE r290 ITA db	


02 UNITA' BANCO



Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Sistema raffreddamento Cooling system	Capacità erogazione Dispensing capability	Prezzi Prices
12613*	Ferro Zincato Galvanized iron	1/4 HP	18 l	Banco ghiaccio Ice bank	40 l/h	


*Serpentine non incluse/Coils not included.

03 BANCO CICO



Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Carrozzeria Housing	Prezzi Prices
14646	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	Acciaio Inox Stainless steel	

05 ELEGANCE LEGNO



Codice Code	Materiale piano Top material	Materiale pannelli Side panel material	Materiale base Base material	Prezzi Prices
040894	Acciaio Inox Stainless steel	Legno Wood	Alluminio Aluminium	


04 MOBILE BASE



Codice Code	Materiale Material	Descrizione Description	Prezzi Prices
N27776-1	Acciaio Inox Stainless steel	Mobile base per dispenser cm 50x65x95h (con ruote cm 103h) Base mobile dispenser cm 50x65x95h (with wheels cm 103h)	
N28534	Acciaio Inox Stainless steel	Mobile base per dispenser cm 50x65x80h (compreso di ruote) Base mobile dispenser cm 50x65x80h (wheels included)	



01 NEPTUN BIRRA



Rubinetti, kit raccorderia e serpentine non inclusi
Taps, fittings and coils not included

REFRIGERATORI
SOPRABANCO

OVER
COUNTER
COOLERS



LED
ILLUMINATION

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Gas Eco-Friendly R290
- Evaporatore in inox (optional in rame)
- Vasca stampata con tecnologia in rotazionale
- Isolamento della vasca in ISOTECH PLUS
- Termostato meccanico
- Sistema di raffreddamento a banco ghiaccio
- Rubinetti frontali o laterali

Kit raccorderia e serpentine

- Cod. 041792 - kit 1 via frontale
- Cod. 041853 - kit 1 via laterale
- Cod. 041791 - kit 2 vie frontale
- Cod. 041738 - kit 2 vie laterale
- Cod. 041764 - kit 3 vie frontale
- Cod. 041891 - kit 3 vie laterale

Specs and Options


- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas
- Evaporator in stainless steel (or in copper)
- Water bank realized with roto moulded plastic technology
- Tank insulated with ISOTECH PLUS
- Mechanical thermostat
- Ice bank cooling system
- Frontal or lateral taps

Fittings and coils kit

- Cod. 041792 - 1 Frontal line kit
- Cod. 041853 - 1 Lateral line kit
- Cod. 041791 - 2 Frontal lines kit
- Cod. 041738 - 2 Lateral lines kit
- Cod. 041764 - 3 Frontal lines kit
- Cod. 041891 - 3 Lateral lines kit

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
NPTB1414PR2	Acciaio Inox Stainless steel	1/4 HP	14 l	8 kg	60 l/h	3	

02 DRY EASY



Rubinetti e raccogli gocce inclusi
Taps and drip tray included

	Dry Top 20	Dry Top 30	Dry Top 60
L	182	225	245
H	200	275	288
H1	340	426	438
H2	384	470	482

Specifiche e Opzioni


- Gas Eco-Friendly R290
- Termostato meccanico
- Sistema di raffreddamento a secco
- Compressore aria a secco integrato

Specs and Options

- With Eco-Friendly R290 Gas
- Mechanical thermostat
- Dry cooling system
- Integrated dry air compressor

Codice Code	Materiale Material	Compressore Compressor	Fusione in alluminio Die-cast aluminium	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
CNDR18KR2VP	Acciaio Inox Stainless steel	1/8 HP	✓	20 l/h	1	
CNDR15KR2VP	Acciaio Inox Stainless steel	1/5 HP	✓	30 l/h	2	
CNDR13KR2VP	Acciaio Inox Stainless steel	1/3 HP	✓	60 l/h	2	

03 ARTIC MINI



Colonna e kit raccorderia non inclusi/Tower
fittings and coils not included.

Specifiche e Opzioni

- Isotech
- Vasca in rotazionale
- Gas Eco-Friendly R290

Kit raccorderia e serpentine
Cod. 042206 - kit 1 via
Cod. 042202 - kit 2 vie

Specs and Options

- Isotech
- Rotomoulded technology
- With Eco-Friendly R290 Gas

Fittings and coils kit
Cod. 042206 - Kit 1 line
Cod. 042202 - Kit 2 lines

Codice Code	Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	N° Vie N° of coils	Prezzi Prices
ARCM1518L	Acciaio Inox Stainless steel	1/5 HP	18 l	5 kg	65 l/h	2	





IMPIANTI
GLICOLE
BIRRA

GLYCOLE
COOLERS



LED
ILLUMINATION



EVOLUTION ICE



PRINCESS ICE



SETA ICE



GRIFONE ICE

Codice Code	Descrizione Description	Prezzi Prices
EV1CR588ICE	Colonna Evolution Ice Tower Evolution Ice	
PRS1CR588ICE	Colonna Princess Ice Tower Princess Ice	
ST1CR588ICE	Colonna Seta Ice Tower Seta Ice	
014035	Colonna Grifone Ice Tower Grifone Ice	



FOX




IGLOO



SMART 36

Codice Code		Materiale Material	Compressore Compressor	Cap. vasca Tank cap.	Banco ghiaccio Ice bank	Prestazione Max Performance Max	Rif. Ref.	Prezzi Prices
FX1420LPR2ICE	Refrigeratore Fox Ice Cooler Fox Ice	Skin Plate	1/4 HP	23 l	12 kg	75 l/h	p. 71	
IGL2814PR2ICE	Refrigeratore Igloo Ice Cooler Igloo Ice	Skin Plate	1/4 HP	24 l	12 kg	75 l/h	p. 72	
ECO1336LPR2ICE	Refrigeratore Smart Ice Cooler Smart Ice	Skin Plate	1/3 HP	32 l	17 kg	106 l/h	p. 74	





CONDIZIONI GENERALI DI VENDITA E GARANZIA

Per consultare le condizioni generali di vendita e garanzia si rinvia all'informativa contenuta nell'apposita sezione del sito web: **www.bevco.eu**

Per maggior informazioni potete contattarci a: **info@bevco.it**

TERMS AND CONDITIONS

For the general conditions of sale and warranty, please refer to the informatios in the section of the website: **www.bevco.eu**

For further informations you can contact us at: **info@bevco.it**



Bevco S.r.l. | Alessandria Plant
Loc. Fontanone Z.I. D1, S.S 31, KM 47,300
15040 Castelletto Monferrato (Alessandria) Italy
Tel +39 0131 233130
www.bevco.eu | info@bevco.it

Bevco S.r.l. | Prato Plant
Via Albano Laziale, 39/43
59100 - Prato (PO) Italy
Tel. +39 0574 189041
www.bevco.eu | info@bevco.it